



Manufacturer & Exporter

Stainless Steel Cable Ties

Ball Lock Cable Ties

Ladder Cables Ties

Releasable Cable Ties

Bands, Markers & Tags

Ladder Type Stainless Steel Cable Ties

Ladder Type Stainless Steel Ties are as strong as Ball Lock Type Cable Ties. The Unique Locking design on the strip can be applied without any crimping tool. The Ladder Type Ties are designed for self locking fast and easy application.


Available in Grade 304 & 316 Coated or Un-coated, in 7 mm and 12 mm widths and various lengths.

Normal operating range for un-coated ties version is -80°C to +538°C and fully coated ties is -80°C to +150°C. It is available in wide choice of colors. Coated ties are recommended for added resistance to corrosion, chemical and weathering effects.


Minimum Loop Tensile Strength:

7 mm width - 100 lbs
12 mm width - 200 lbs

Technical Data:



Type: Ladder Type Un-coated
Width: 7 mm and 12 mm
Material: SS 304 & SS 316



Type: Ladder Type Coated
Width: 4.6 mm and 7.9 mm
Material: SS 304 & SS 316

PRODUCT CODE	WIDTH (in mm)	LENGTH (in mm)	MAXIMUM BUNDLE DIA (in mm)
7ALTU-316-100	7	100	20
7ALTU-316-150	7	150	35
7ALTU-316-200	7	200	50
7ALTU-316-250	7	250	70
7ALTU-316-300	7	300	85
7ALTU-316-360	7	360	100
7ALTU-316-450	7	450	130
7ALTU-316-550	7	550	165
7ALTU-316-610	7	610	180
7ALTU-316-680	7	680	200
7ALTU-316-840	7	840	255
7ALTU-316-900	7	900	275
7ALTU-316-1000	7	1000	305
7ALTU-316-1200	7	1200	370

12ALTU-316-100	12	100	20
12ALTU-316-150	12	150	35
12ALTU-316-200	12	200	50
12ALTU-316-250	12	250	70
12ALTU-316-300	12	300	85
12ALTU-316-360	12	360	100
12ALTU-316-450	12	450	130
12ALTU-316-550	12	550	165
12ALTU-316-610	12	610	180
12ALTU-316-680	12	680	200
12ALTU-316-840	12	840	255
12ALTU-316-900	12	900	275
12ALTU-316-1000	12	1000	305
12ALTU-316-1200	12	1200	370

PRODUCT CODE	WIDTH (in mm)	LENGTH (in mm)	MAXIMUM BUNDLE DIA (in mm)
7ALTC-316-100	7	100	20
7ALTC-316-150	7	150	35
7ALTC-316-200	7	200	50
7ALTC-316-250	7	250	70
7ALTC-316-300	7	300	85
7ALTC-316-360	7	360	100
7ALTC-316-450	7	450	130
7ALTC-316-550	7	550	165
7ALTC-316-610	7	610	180
7ALTC-316-680	7	680	200
7ALTC-316-840	7	840	255
7ALTC-316-900	7	900	275
7ALTC-316-1000	7	1000	305
7ALTC-316-1200	7	1200	370

12ALTC-316-100	12	100	20
12ALTC-316-150	12	150	35
12ALTC-316-200	12	200	50
12ALTC-316-250	12	250	70
12ALTC-316-300	12	300	85
12ALTC-316-360	12	360	100
12ALTC-316-450	12	450	130
12ALTC-316-550	12	550	165
12ALTC-316-610	12	610	180
12ALTC-316-680	12	680	200
12ALTC-316-840	12	840	255
12ALTC-316-900	12	900	275
12ALTC-316-1000	12	1000	305
12ALTC-316-1200	12	1200	370

- Ball Lock Type Cable Ties are also available in widths of 12 mm and 16 mm with various lengths for special requirements.
- Intermediate lengths are available on demand for special requirements.
- Mentioned products are also available in material SS 304, use 304 instead of 316 in product Code e.g. 46ARBU - 316-100 shall be 46ARBU-304-100.



303 / 1 / 21, GIDC, Makarpura,
Vadodara - 390010, Gujarat, INDIA.

Contact:
+91 9824 866 559

Email:
info@aimengi.com
aimeng.21@gmail.com

Website:
www.aimengi.com

