



## ***Manufacturer & Exporter***

***Stainless Steel Cable Ties***

***Ball Lock Cable Ties***

***Ladder Cables Ties***

***Releasable Cable Ties***

***Bands, Markers & Tags***

## Releasable Type Stainless Steel Cable Ties



### Stainless Steel Bands

Stainless Steel 201 is generally used for this application. Bands with widths of 6.35mm, 9.53mm, 12.7mm, 15.88mm & 19.01mm and thickness of 0.38mm with various lengths are available.

**Type:** Releasable Coated & Un-coated

**Width:** 6.3 mm and 9.5 mm

**Material:** SS 304 & SS 316

### Minimum Loop Tensile Strength:

6.3 mm width Coated & Un-coated - 400 lbs

9.5 mm width Coated & Un-coated - 500 lbs

### Technical Data:

PRODUCT CODE	WIDTH (in mm)	LENGTH (in mm)	MAXIMUM BUNDLE DIA (in mm)
6.3 ARLU-316-100	6.3	100	35
6.3 ARLU-316-230	6.3	230	60
6.3 ARLU-316-250	6.3	250	75
6.3 ARLU-316-300	6.3	300	85
6.3 ARLU-316-330	6.3	330	95
6.3 ARLU-316-400	6.3	400	115
6.3 ARLU-316-450	6.3	450	130
6.3 ARLU-316-520	6.3	520	155
6.3 ARLU-316-630	6.3	630	190
6.3 ARLU-316-760	6.3	760	230
6.3 ARLU-316-800	6.3	800	240
6.3 ARLU-316-850	6.3	850	260
6.3 ARLU-316-1000	6.3	1000	300

9.5 ARLU-316-100	9.5	100	35
9.5 ARLU-316-230	9.5	230	60
9.5 ARLU-316-250	9.5	250	75
9.5 ARLU-316-300	9.5	300	85
9.5 ARLU-316-330	9.5	330	95
9.5 ARLU-316-400	9.5	400	115
9.5 ARLU-316-450	9.5	450	130
9.5 ARLU-316-520	9.5	520	155
9.5 ARLU-316-630	9.5	630	190
9.5 ARLU-316-760	9.5	760	230
9.5 ARLU-316-800	9.5	800	240
9.5 ARLU-316-850	9.5	850	260
9.5 ARLU-316-1000	9.5	1000	300

PRODUCT CODE	WIDTH (in mm)	LENGTH (in mm)	MAXIMUM BUNDLE DIA (in mm)
6.3ARLC-316-100	6.3	100	20
6.3ARLC-316-125	6.3	125	30
6.3ARLC-316-150	6.3	150	35
6.3ARLC-316-200	6.3	200	50
6.3ARLC-316-250	6.3	250	70
6.3ARLC-316-300	6.3	300	85
6.3ARLC-316-360	6.3	360	100
6.3ARLC-316-450	6.3	450	130
6.3ARLC-316-520	6.3	520	155
6.3ARLC-316-680	6.3	680	200
6.3ARLC-316-840	6.3	840	255
6.3ARLC-316-1000	6.3	1000	305

9.5 ARLC-316-100	9.5	100	35
9.5 ARLC-316-230	9.5	230	60
9.5 ARLC-316-250	9.5	250	75
9.5 ARLC-316-300	9.5	300	85
9.5 ARLC-316-330	9.5	330	95
9.5 ARLC-316-400	9.5	400	115
9.5 ARLC-316-450	9.5	450	130
9.5 ARLC-316-520	9.5	520	155
9.5 ARLC-316-630	9.5	630	190
9.5 ARLC-316-760	9.5	760	230
9.5 ARLC-316-800	9.5	800	240
9.5 ARLC-316-850	9.5	850	260
9.5 ARLC-316-1000	9.5	1000	300

- Intermediate lengths are available on demand for special requirements.
- Mentioned products are also available in material SS 304, use 304 instead of 316 in product Code e.g. 6.3ARLU-316-150 shall be 6.3ARLU-304-150.



303 / 1 / 21, GIDC, Makarpura,  
Vadodara - 390010, Gujarat, INDIA.

Contact:  
+91 9824 866 559

Email:  
info@aimengi.com  
aimeng.21@gmail.com

Website:  
www.aimengi.com

