



Manufacturer & Exporter

Stainless Steel Cable Ties
Ball Lock Cable Ties
Ladder Cables Ties
Releasable Cable Ties
Bands, Markers & Tags

Stainless Steel Bands, Markers & Tags

Releasable Type Stainless Steel Cable Ties provide easy and quick installations beacause of its unique design with buckle. Fasten-unfasten-refasten means grater flexibility with Releasable Type Cable Ties.

Available in Grade 304 & 316 Coated or Un-coated, in 6.3 mm and 9.5 mm widths and various lengths.

The normal operating range for the roller ball uncoated ties version is -40° C to $+325^{\circ}$ C approximately. For coated version normal operating range is -60° C to $+170^{\circ}$ C. It is available in wide choice of colors. Coated ties have better weathering properties with excellent resistance to corrosion, radiation and abrasion.



Stainless Steel Markers & Tags

A Comprehensive range of Stainless Steel Marking System is available for effortless and permanent identification of cable accessories or ducting system, even in harsh environments.

The system can be applied with Ball Lock type or Ladder type Stainless Steel Cable Ties.

We can also manufacturer and supply Ball Lock type Stainless Steel Cable Ties with Customized marking upon request for special requirements.

Technical Data:

DESCRIPTION	PRODUCT CODE	DIMENSIONS Width x Length (in mm)
Tag	T - 3463	34 x 63
Tag	T - 1951	19 x 51
Tag	T - 1989	19 x 89
Tag	T - 1992	19 x 92
Tag	T - 892	8 x 92
Tag	T - 8133	8 x 133
Tag	T - 8166	8 x 166
Alphabets	AZ	8 x 9
Numbers	09	8 x 9
Special Charecters	+,_,~,#,/ etc.	8 x 9

- Tags are available in Stainless Steel Grade 304 & 316.
- Customized size are available in Makers & Tags.
- · We can also manufacturer Tags of Special Characters other then the usual ones as per specific drawing.











303 / 1 / 21, GIDC, Makarpura, Vadodara - 390010, Gujarat, INDIA.

Contact: +91 9824 866 559

Email: info@aimengi.com aimeng.21@gmail.com

Website: www.aimengi.com